

Fishin' PLUGS




OUR FISHING LURE STOCK
CAN BE BUILT UP WITH A
LITTLE JACKKNIFE WORK
AND PATIENCE. IF YOU
CANNOT AFFORD A LARGE
VARIETY OF PLUGS, YOU
CAN MAKE YOUR OWN.



WHITE-CEDAR POST- THAT
IS CLEAR GRAINED- IS
CUT INTO 6" LENGTHS X 1½"
SQUARE. THIS WILL GIVE YOU
THE BASE FOR A LARGE
VARIETY. OTHERS CAN BE
MADE SHORTER AND THINNER.
ALWAYS CHOOSE A STRAIGHT
GRAINED PIECE OF WOOD
THAT IS FREE FROM KNOTS.

TOP
VIEW




SQUARE OFF A PIECE
OF STIFF CARDBOARD
INTO ¼" SQUARES AND
SKETCH IN THE DRAWING
OF THE LURE YOU WISH TO
MAKE. CUT OUT YOUR
DRAWING AND USE IT TO
MARK OUT YOUR LURE
ON THE WOOD.

NOTE

SAVE YOUR PATTERNS. YOU
MAY NEED THEM LATER ON.


SIDE
VIEW



RED & WHITE "TORPEDO"

WHITTLE THIS PLUG FROM A 2¾" X
1¼" SQ. BLOCK. ALWAYS USE OVER-
SIZE PIECES SO THAT YOU DO NOT MAKE
THE PLUG TOO SMALL. MAKE THIS ONE
ROUND AND SCOOP OUT THE FRONT
END. DRILL HOLES FOR THE SCREW EYES.
COUNTER-SINK THE EYE SLIGHTLY.

LACQUER THIS ONE RED
AND WHITE AS MARKED.





TRY SOME OF THESE PATTERNS. THEY ARE MADE WITH GANG HOOKS, TIN, SCREW-EYES AND SCREW NAILS.


WIGGLE MINNOW

THIS ONE IS ROUNDED OFF FIRST AND THE SCOOPED PART ABOVE THE EYES IS CUT OUT. USE BEADS FOR THE EYES. THE TIN SCOOP BELOW THE NOSE IS SCREWED ON. THIS SCOOP IS $\frac{3}{4}'' \times \frac{3}{4}''$ WITH A $\frac{1}{4}''$ FLAP DRILLED FOR THE SCREWS.

WIGGLE MINNOW




Pumpkin Seed




THIS QUAIN LITTLE FELLOW IS EASY. HE IS 2" LONG BY $\frac{1}{4}$ " HIGH AND $\frac{1}{2}$ " WIDE. SAW HIM OUT AND ROUND OFF THE EDGES. SET GANG HOOKS IN THE TAIL AND BEHIND THE SCOOP. THE LINE IS FASTENED BELOW THE MOUTH. THE SCOOP IS MADE THE SAME AS ON THE WIGGLE MINNOW. THE MOUTH IS RED. THE FACE IS LIGHT BLUE. THE BACK IS BLUE WITH YELLOW SIDES AND A WHITE BELLY. USE BEADS FOR THE EYES. PAINT THE GILLS BLACK.

V-MOUTH




MAKE THIS ONE FROM A 1" SQ. PIECE OF WOOD $3\frac{1}{2}$ " LONG. IT IS ROUNDED OFF AND GANG HOOKS ARE SET IN. PAINT THE MOUTH RED AND MARKS ARE PAINTED BLACK. USE BEADS FOR THE EYES.



V-MOUTH


SHOE EYELETS ARE SET INTO THE WOOD BEFORE YOU INSERT THE SCREW-EYE.



SMALL SCREW-EYES CAN BE PURCHASED AT ANY HARDWARE COUNTER. THE SIZES REQUIRED VARY, SO GET AN ASSORTMENT.

HINGED PLUGS

ARE JOINED TOGETHER WITH 2 SCREW-EYES. THIS ALLOWS THE TAIL TO SWING IN AN ARC.



Painting

ALWAYS USE A GOOD PAINT. GIVE YOUR PLUG 2 COATS OF PAINT AND 2 COATS OF CLEAR VARNISH. TRY TO GET A HIGH GLOSS FINISH.

"SWIVEL-TAIL"

THIS ONE IS MADE IN 2 PIECES WHICH ARE HINGED TOGETHER. THREE SETS OF HOOKS ARE USED. START OFF WITH A 1" SQ. PIECE OF WOOD. THE FRONT END IS 3" LONG, AND THE TAIL IS 1½" LONG.

